


REFER ALLCO BACKFILL
DOCUMENT FOR
ACCEPTABLE BACKFILL

VOLCLAY SWELLTITE TO
FOUNDATION WALL

ALLCO ALLGUARD
PROTECTION BOARD

WATERSTOPPAGE /
BENTOSEAL TO WALL /
FOOTING JUNCTION




VOLCLAY SWELLTITE TO
FOUNDATION WALL

WATERSTOPPAGE /
BENTOSEAL TO WALL /
FOOTING JUNCTION

X+Y = 150MM MIN

ALLCO ALLGUARD
PROTECTION BOARD

COIL DRAIN



1

FOOTING / WALL DETAIL - SWELLTITE LAP TO HEELED FOOTING

SCALE: NTS



The information and data contained herein are believed to be accurate and reliable.
This information does not constitute a warranty and should be used in conjunction with the
project specification document supplied by Allco Waterproofing Solutions Ltd
Please contact Allco Waterproofing Solutions Ltd with any questions or deviations from this
information.
If variances to published CETCO documentation occur, ALLCO detailing takes precedent
© Allco Waterproofing Solution Ltd

For Technical Advice Contact:
Web: www.allco.co.nz
Email: info@allco.co.nz
Telephone: 09 448 1185
Facsimile: 09 448 1186



DRAWN BY:
ALLCO

DATE:
10/23

DRAWING REF:
V-F-08B

REV:
3