


REFER ALLCO BACKFILL DOCUMENT FOR ACCEPTABLE BACKFILL

VOLCLAY SWELLTITE TO FOUNDATION WALL

ALLCO ALLGUARD PROTECTION BOARD

WATERSTOPPAGE / BENTOSEAL TO WALL / FOOTING JUNCTION




VOLCLAY SWELLTITE TO FOUNDATION WALL

WATERSTOPPAGE / BENTOSEAL TO WALL / FOOTING JUNCTION

X+Y = 150MM MIN

ALLCO ALLGUARD PROTECTION BOARD

COIL DRAIN



1

FOOTING DETAIL - SWELLTITE LAP TO HEELED FOOTING

SCALE: NTS



The information and data contained herein are believed to be accurate and reliable. This information does not constitute a warranty and should be used in conjunction with the project specification document supplied by Allco Waterproofing Solutions Ltd. Please contact Allco Waterproofing Solutions Ltd with any questions or deviations from this information. If variances to published CETCO documentation occur, ALLCO detailing takes precedent. © Allco Waterproofing Solution Ltd

For Technical Advice Contact:  
 Web: [www.allco.co.nz](http://www.allco.co.nz)  
 Email: [info@allco.co.nz](mailto:info@allco.co.nz)  
 Telephone: 09 448 1185  
 Facsimile: 09 448 1186



DRAWN BY: ALLCO  
 DATE: 06/23

DRAWING REF: V-F-08  
 REV: 3