


1 NEW BEAM / SERVICES TRENCH TO EXISTING SLAB
 SCALE: NTS LAPPING TO EXISTING DPM / MEMBRANE

NOTE - ENSURE PLACEMENT OF SERVICES PIPEWORK DOES NOT CREATE VOIDS TO MEMBRANE - LACK OF CONFINEMENT

ALSO REFER ALLCO DETAIL V-E-01 FOR EXISTING SLAB TIE-IN OPTIONS



2 NEW BEAM / SERVICES TRENCH TO EXISTING SLAB
 SCALE: NTS

NEW INSITU POURED CONCRETE. REFER ENGINEERS DESIGN & DOCUMENTATION.



The information and data contained herein are believed to be accurate and reliable. This information does not constitute a warranty and should be used in conjunction with the project specification document supplied by Allco Waterproofing Solutions Ltd. Please contact Allco Waterproofing Solutions Ltd with any questions or deviations from this information.
 © Allco Waterproofing Solution Ltd

For Technical Advice Contact:
 Web: www.allco.co.nz
 Email: info@allco.co.nz
 Telephone: 09 448 1185
 Facsimile: 09 448 1186



DRAWN BY: ALLCO	DATE: 07/2020
DRAWING REF: V-E-03	REV: 2